

Strategic Collaborative Cheshire: Read and SNOMED codes for searches relating to 2019-20 High Level Objectives

Codes taken from: Palliative Care Co-ordination (EPaCCS) template Controlled document p1 of 11

© EMIS Health 2015 – all rights reserved. Last updated: 23 February 2018

The above template complies with the NHS Digital information standard SCCI1580.

You'll find this template in EMIS Library > Templates & Protocols > Extended Healthcare.

Palliative Care Co-ordination template

Mapping Read to SNOMED codes – https://hscic.kahootz.com/connect.ti/t_c_home/view?objectId=407588&exp=e1 – search database with Read code

High Level Objective 1: 0.45% of the Practice Population are on the GSF register (*Hospice is POI – Phase of Illness – codes, not GSF*)

Denominator – living patients on GP Practice register as at [date]

Read Code	SNOMED code (concept ID)	Description
8CM1	414937009	On gold standards palliative care framework
8CM10	518901000000101	GSF supportive care stage 1 – advancing disease
8CM11	518941000000103	GSF supportive care stage 2 – increasing decline
8CM12	519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	845721000000108	GSF prognostic indicator stage B (green) – months prognosis
8CM17	845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	845771000000107	GSF prognostic indicator stage D (red) – days prognosis

Search strings

Read:

8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18

SNOMED:

414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107

High Level Objective 2: 35% of all deaths have an EPaCCS record (measure by 9Ng and 9Nu. codes below)

Denominator – all deaths in period

Read Code	SNOMED code (concept ID)	Description
9Ng7	526631000000108	Old 'has EPaCCS' code –'on EoLC register'
9Nu6	882921000000109	Consent given for sharing EoLCC record
9Nu8	882961000000101	Best interest decision taken (MCA 2005) sharing EoLCC record
9Nu9	882981000000105	Consent legitimate patient representative sharing EoLCC record
9Nu90	883001000000106	Consent appointed person LPA person welfare (MCA 05) sharing EoLCC rec

Search strings

Read:

9Ng7. OR (9Nu6. OR 9Nu8. OR 9Nu9. OR 9Nu90)

SNOMED:

526631000000108 OR (882921000000109 OR 882961000000101 OR 882981000000105 OR 883001000000106)

High Level Objective 3: 35% of all deaths have an EPaCCS record (measure by GSF+ACP+CPR codes) (*Hospice is POI – Phase of Illness – codes, not GSF*)

Denominator – all deaths in period

Read Code	SNOMED code (concept ID)	Description
GSF codes		
8CM1	414937009	On gold standards palliative care framework
8CM10	518901000000101	GSF supportive care stage 1 – advancing disease
8CM11	518941000000103	GSF supportive care stage 2 – increasing decline
8CM12	519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	845721000000108	GSF prognostic indicator stage B (green) – months prognosis
8CM17	845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	845771000000107	GSF prognostic indicator stage D (red) – days prognosis
ACP-related codes (includes PPoC/D location codes)		
9NgH	816281000000101	Has advance statement (Mental Capacity Act 2005)
8CME	713673000	Has end of life advance care plan
9NgE	765141000000105	Best interest decision made on behalf of patient (MCA 2005)
9NgJ	785091000000102	Preferred priorities for care document completed

9NgG	816301000000100	Has ADRT (advance decision to refuse treatment) (MCA 2005)
9NgG0	816321000000109	Has advance decision refuse life sustaining treat (MCA 2005)
9W4..	341041000000103	Lasting power of attorney property and affairs
9W5..	341051000000100	Lasting power of attorney personal welfare
9W8..	816361000000101	Has appointed person with personal welfare LPA (MCA 2005)
9W80	816381000000105	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
8Ce8	518841000000107	Preferred place of care – discussed with patient
8Ce9	518861000000108	Preferred place of care – discussed with family
8CeA	518981000000106	Preferred place of care – patient unable to express preference
8CeB	520541000000100	Preferred place of care – patient declined to participate
8CN1	395687000	Preferred place of death: discussed with patient
94ZB	518801000000109	Preferred place of death: discussed with family
94Z6	517111000000103	Preferred place of death: patient unable to express preference
94Z7	517131000000106	Preferred place of death: discussion not appropriate
94Z8	517161000000101	Preferred place of death: patient undecided
94ZD	766391000000108	Preferred place of death: patient declined discussion
8Ce0	505401000000102	Preferred place of care – home
8Ce1	505431000000108	Preferred place of care – hospice
8Ce2	505461000000103	Preferred place of care – community hospital
8Ce3	505491000000109	Preferred place of care – hospital
8Ce4	505551000000102	Preferred place of care – nursing home
8Ce5	883161000000106	Preferred place of care – residential home
8Ce6	518661000000109	Preferred place of care – learning disability unit
8Ce7	518681000000100	Preferred place of care – mental health unit
94Z1	110481000000108	Preferred place of death: home
94Z2	108401000000102	Preferred place of death: hospice
94Z3	89751000000108	Preferred place of death: community hospital
94Z4	109401000000108	Preferred place of death: hospital
94Z5	89761000000106	Preferred place of death: nursing home
94Z9	518741000000100	Preferred place of death: learning disability unit
94ZA	518771000000106	Preferred place of death: mental health unit
94ZC	710571000000101	<i>Preferred place of death: care home</i>
94ZE	512071000000106	Preferred place of death: residential home
94ZF	819211000000102	Preferred place of death: usual place of residence

CPR-related codes		
67P0	873341000000100	Resuscitation discussed with patient
1R00	450475007	For attempted cardiopulmonary resuscitation
1R10	450476008	Not for attempted CPR (cardiopulmonary resuscitation)
8CN7	931761000000106	Discussion about do not attempt CPR not appropriate at this time

Search strings

Read:

(8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18)

AND

(8CME OR 9NgH OR 9NgE OR 9NgJ OR 9NgG OR 9NgG0 OR 9W4 OR 9W5 OR 9W8 OR 9W80 OR 8Ce8 OR 8Ce9 OR 8CeA OR 8CeB OR 8CN1 OR 94ZB OR 94Z6 OR 94Z7 OR 94Z8 OR 94ZD OR 94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9. OR 94ZA. OR 94ZC. OR 94ZE. OR 94ZF. OR 8Ce0. OR 8Ce1. OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.)

AND

(1R00. OR 1R10. OR 67P0 OR 8CN7)

SNOMED:

(414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107)

AND

(713673000 OR 816281000000101 OR 765141000000105 OR 785091000000102 OR 816301000000100 OR 816321000000109 OR 341041000000103 OR 341051000000100 OR 816361000000101 OR 816381000000105 OR 518841000000107 OR 518861000000108 OR 518981000000106 OR 520541000000100 OR 395687000 OR 518801000000109 OR 517111000000103 OR 517131000000106 OR 517161000000101 OR 766391000000108 OR 110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100)

AND

(450475007 OR 450476008 OR 873341000000100 OR 931761000000106)

High Level Objective 4: 40% of all deaths have a recorded GSF code (*Hospice is POI – Phase of Illness – codes, not GSF*)

Denominator – all deaths in period

Read Code	SNOMED code (concept ID)	Description
8CM1	414937009	On gold standards palliative care framework
8CM10	518901000000101	GSF supportive care stage 1 – advancing disease
8CM11	518941000000103	GSF supportive care stage 2 – increasing decline

8CM12	519041000000106	GSF supportive care stage 3 – last days: cat C – weeks prognosis
8CM13	519061000000107	GSF supportive care stage 3 – last days: cat D – days prognosis
8CM15	845701000000104	GSF prognostic indicator stage A (blue) – year plus prognosis
8CM16	845721000000108	GSF prognostic indicator stage B (green) – months prognosis
8CM17	845751000000103	GSF prognostic indicator stage C (yellow) – weeks prognosis
8CM18	845771000000107	GSF prognostic indicator stage D (red) – days prognosis

Search strings

Read:

8CM1. OR 8CM10 OR 8CM11 OR 8CM12 OR 8CM13 OR 8CM15 OR 8CM16 OR 8CM17 OR 8CM18

SNOMED:

414937009 OR 518901000000101 OR 518941000000103 OR 519041000000106 OR 519061000000107 OR 845701000000104 OR 845721000000108 OR 845751000000103 OR 845771000000107

High Level Objective 5: 35% of all deaths will have a recorded ACP discussion (including declining of ACP discussion, and PPoC/D location codes)

Denominator – all deaths in period

Read Code	SNOMED code (concept ID)	Description
9NgH	816281000000101	Has advance statement (Mental Capacity Act 2005)
8CME	713673000	Has end of life advance care plan
9NgE	765141000000105	Best interest decision made on behalf of patient (MCA 2005)
9NgJ	785091000000102	Preferred priorities for care document completed
9NgG	816301000000100	Has ADRT (advance decision to refuse treatment) (MCA 2005)
9NgG0	816321000000109	Has advance decision refuse life sustaining treat (MCA 2005)
9W4..	341041000000103	Lasting power of attorney property and affairs
9W5..	341051000000100	Lasting power of attorney personal welfare
9W8..	816361000000101	Has appointed person with personal welfare LPA (MCA 2005)
9W80	816381000000105	Has apnt persn persnl welf LPA auth life sust decns MCA 2005
8Ce8	518841000000107	Preferred place of care – discussed with patient
8Ce9	518861000000108	Preferred place of care – discussed with family
8CeA	518981000000106	Preferred place of care – patient unable to express preference
8CeB	520541000000100	Preferred place of care – patient declined to participate
8CN1	395687000	Preferred place of death: discussed with patient
94ZB	518801000000109	Preferred place of death: discussed with family
94Z6	517111000000103	Preferred place of death: patient unable to express preference

94Z7	517131000000106	Preferred place of death: discussion not appropriate
94Z8	517161000000101	Preferred place of death: patient undecided
94ZD	766391000000108	Preferred place of death: patient declined discussion
8Ce0	505401000000102	Preferred place of care – home
8Ce1	505431000000108	Preferred place of care – hospice
8Ce2	505461000000103	Preferred place of care – community hospital
8Ce3	505491000000109	Preferred place of care – hospital
8Ce4	505551000000102	Preferred place of care – nursing home
8Ce5	883161000000106	Preferred place of care – residential home
8Ce6	518661000000109	Preferred place of care – learning disability unit
8Ce7	518681000000100	Preferred place of care – mental health unit
94Z1	110481000000108	Preferred place of death: home
94Z2	108401000000102	Preferred place of death: hospice
94Z3	89751000000108	Preferred place of death: community hospital
94Z4	109401000000108	Preferred place of death: hospital
94Z5	89761000000106	Preferred place of death: nursing home
94Z9	518741000000100	Preferred place of death: learning disability unit
94ZA	518771000000106	Preferred place of death: mental health unit
94ZC	710571000000101	<i>Preferred place of death: care home</i>
94ZE	512071000000106	Preferred place of death: residential home
94ZF	819211000000102	Preferred place of death: usual place of residence

Search strings

Read:

8CME OR 9NgH OR 9NgE OR 9NgJ OR 9NgG OR 9NgG0 OR 9W4 OR 9W5 OR 9W8 OR 9W80 OR 8Ce8 OR 8Ce9 OR 8CeA OR 8CeB OR 8CN1 OR 94ZB OR 94Z6 OR 94Z7 OR 94Z8 OR 94ZD OR 94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9. OR 94ZA. OR 94ZC. OR 94ZE. OR 94ZF. OR 8Ce0. OR 8Ce1. OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.

SNOMED:

713673000 OR 816281000000101 OR 765141000000105 OR 785091000000102 OR 816301000000100 OR 816321000000109 OR 341041000000103 OR 341051000000100 OR 816361000000101 OR 816381000000105 OR 518841000000107 OR 518861000000108 OR 518981000000106 OR 520541000000100 OR 395687000 OR 518801000000109 OR 517111000000103 OR 517131000000106 OR 517161000000101 OR 766391000000108 OR 110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100

High Level Objective 6: 60% of all deaths will have a recorded CPR discussion/status*Denominator – all deaths in period*

Read Code	SNOMED code (concept ID)	Description
67P0	873341000000100	Resuscitation discussed with patient
1R00	450475007	For attempted cardiopulmonary resuscitation
1R10	450476008	Not for attempted CPR (cardiopulmonary resuscitation)
8CN7	931761000000106	<i>Discussion about do not attempt CPR not appropriate at this time</i>

Search strings**Read:**

1R00. OR 1R10. OR 67P0 OR 8CN7

SNOMED:

450475007 OR 450476008 OR 873341000000100 OR 931761000000106

High Level Objective 7: 25% of all deaths will have a PPOD/PPoC AND an Actual PoD recorded*Denominator – all deaths in period*

Read Code	SNOMED code (concept ID)	Description
8Ce0	505401000000102	Preferred place of care – home
8Ce1	505431000000108	Preferred place of care – hospice
8Ce2	505461000000103	Preferred place of care – community hospital
8Ce3	505491000000109	Preferred place of care – hospital
8Ce4	505551000000102	Preferred place of care – nursing home
8Ce5	883161000000106	Preferred place of care – residential home
8Ce6	518661000000109	Preferred place of care – learning disability unit
8Ce7	518681000000100	Preferred place of care – mental health unit
94Z1	110481000000108	Preferred place of death: home
94Z2	108401000000102	Preferred place of death: hospice
94Z3	89751000000108	Preferred place of death: community hospital
94Z4	109401000000108	Preferred place of death: hospital
94Z5	89761000000106	Preferred place of death: nursing home
94Z9	518741000000100	Preferred place of death: learning disability unit
94ZA	518771000000106	Preferred place of death: mental health unit
94ZC	710571000000101	<i>Preferred place of death: care home</i>

94ZE	512071000000106	Preferred place of death: residential home
94ZF	819211000000102	Preferred place of death: usual place of residence
9491	184293009	Patient died at home
9493	184295002	Patient died in nursing home
9494	818961000000101	Patient died in residential inst. NOS
9495	184297005	Patient died in hospital
949A	313372007	Patient died in hospice
949B	89671000000108	Patient died in community hospital
949D	698747008	<i>Patient died in care home</i>
949H	713050009	Died in learning disability unit
949J	713051008	Died in mental health unit
949E	700215003	Patient died in usual place of residence
949Z	366044004	Patient died in place NOS

Search strings

Read:

(94Z1. OR 94Z2. OR 94Z3. OR 94Z4. OR 94Z5. OR 94Z9 OR 94ZA OR 94ZC.OR 94ZE. OR 94ZF OR 8Ce0. OR 8Ce1. OR 8Ce2. OR 8Ce3. OR 8Ce4. OR 8Ce5. OR 8Ce6. OR 8Ce7.)

AND

(9491. OR 9493. OR 9494. OR 9495. OR 949A. OR 949B OR 949D OR 949H OR 949J OR 949E OR 949Z)

SNOMED:

(110481000000108 OR 108401000000102 OR 89751000000108 OR 109401000000108 OR 89761000000106 OR 518741000000100 OR 518771000000106 OR 710571000000101 OR 512071000000106 OR 819211000000102 OR 505401000000102 OR 505431000000108 OR 505461000000103 OR 505491000000109 OR 505551000000102 OR 883161000000106 OR 518661000000109 OR 518681000000100)

AND

(184293009 OR 184295002 OR 818961000000101 OR 184297005 OR 313372007 OR 89671000000108 OR 698747008 OR 713050009 OR 713051008 OR 700215003 OR 366044004)